Index to Volume Twenty-nine

Index of Issues: January, 1–64; February, 65–120; March, 121–188; April, 189–252; May, 253–310; June, 311–372; July, 373–426; August, 427–496; September, 497–558; October, 559–622; November, 623–736; December, 737–856.

INDEX OF AUTHORS

A Aavitsland P. 222 Abdullah ASM, 360 A C, 201 Achilles SL, 655 Adam MB, 811 Adler N. 756 Agbalika F, 698 Ahdieh L, 427 Aklilu M. 175 Alary M, 324 Alestrøm A, 828 Allen-Taylor L, 436 Alpers MP, 265 Alvarenga IC, 157 Alvarez S, 752 Alves AC, 157 Anagonou S, 324 Anang J, 265 Anastos K, 427 Anderson JE, 643 Andreoni M, 665 Aral SK. 6 Aral SO, 6, 133, 453, 530, 798 Argent S. 216 Ashley R, 253, 559 Ashton MR, 246 Asp A-K, 379 Avonts D. 426

Babona D. 265 Bain RM, 259 Bakker R, 228 Ballereau F, 624 Bascom T. 373 Bauer HM, 411 Bauwens JE, 253 Beidinger HA, 271 Beksinska ME, 32 Belloni DR, 628 Benfield C, 216 Benson DA, 465 Berglund T. 25 Béria JU, 536 Berman S, 6, 144, 285 Beyene A, 175 Bishai D, 83 Bitoungui DM, 637 Bjune G, 828 Blank S, 465 Bloomfield PJ, 294 Boardman L. 288 Boer K, 710 Boireaux C, 376 Bolan G, 144, 411 Bong CTH, 114 Booth S. 780 Borthagaray G, 792 Bourne N. 597 Branson BM, 38

Branzuela A, 373

Braverman P, 678

Bricard-Pacaud V, 624

Bretl DA, 331

Brown DR, 763

Brown NL, 678

Brown-Peterside P, 406 Brunelle B, 789 Bryant JH, 79 Buatiang A, 668 Buks L, 216 Burk RD, 182, 427 Burstein GR, 737 Bwayo J, 106

Cabada MM, 510 Campbell D, 294 Campos-Outcalt D, 119, 372 Campos PE, 559 Carballo-Diéguez A, 465 Casin I, 353 Castle PE, 182 Castrucci BC, 417 Cates W Jr, 168, 350 Catlin M. 559 Celentano DD, 201, 366 Cenedella C. 752 Champion JD, 520 Chan RKW, 311 Chen JL, 277 Chen S, 647 Chiasson MA, 406 Chin V, 678 Chiphangwi JD, 366 Clarke JG, 288 Clark KL, 1 Clark LR, 436 Clayton JL, 144 Clementson C, 216 Cobb BK, 20 Cohen DA, 737 Cole BF, 628 Cone R. 253, 655 Connolly CA, 721 Cook RL, 246 Copley M, 216 Corey L. 399 Creinin MD, 112 Cromwell PF, 391 Crosby RA, 20, 387, 503, 552 Crowe SR, 576 Cullen AP, 576 Cu-Uvin S, 427

Dai X, 242 Danilenko NV, 376 Darwin LH, 576 Davies SL, 20, 387, 503 Davis G, 399 Dean J, 216 Debattista J, 216 Decena CU, 465 de la Salmonière P. 353, 698 De Lister MB, 559 Denekens J, 426 De Panfilis G. 121 Deperthes B, 32 De Quiñones MR, 559 Detels R, 335 De Vlas SJ, 228 Dias F, 157

DiClemente RJ, 20, 387, 503 Dillner J, 207 Dillon J-AR, 792 DiSpigno M, 752 Dodge B, 552 Dolezal C, 465 Dong Z, 212 Dorlencourt F, 376 Dorrucci M, 665 Douglas JM Jr, 65, 196 Downey L, 100 Dudley KL, 597 Duerr A, 427 Duncan LT, 628 Dwyer J, 216

E
Eche A, 353
Echevarría JI, 510
Egesah OB, 444
Eis-Hübinger AM, 637
Ellen J, 397
Ellen JM, 756
Elliott L, 840

Falconi I, 624 Farley TA, 144, 150 Farley TP, 769 Fielding R, 360 Fields MC, 483 Finelli L, 769 Fischer L, 259, 373 Fisman DN, 608 Fitch JT, 811 Flahault A, 319 Flanigan TP, 752 Fonck K, 106 Fontanet AL, 175 Ford K, 13, 50 Fortenberry D, 144 Foster M, 196, 491 Foxman B, 133 Fredlund H, 25 Freedman DO, 510 Frost E. 157

Galama JMD, 710 Gao X, 212 Garland SM, 647 Garnett GP, 818 Gaustad P, 828 Gaydos CA, 1, 271 Gaydos JC, 1 Gaytant MA, 710 Geisler WM, 189 Geraldo N, 324 Ghidini A, 121 Gibson JJ, 769 Gibson P, 411 Gift TL, 542, 703 Gisser JM, 483 Glass AG, 182 Golden MR, 472 Goldie SJ, 608 Gomez MP, 253, 259 Gorbach PM, 453 Gotuzzo E, 510 Gouws E, 44 Go VF, 201 Graham CA, 552 Graifemberghi S, 121 Grandry B, 353 Greenblatt RM, 427 Gregson S, 568 Grewal N, 674 Grillner L, 379 Groen J, 710 Guédou A, 324 Gurvey JE, 756

H Habbema JDF, 228, 444 Haddix A, 542 Hager WD, 811 Haikala O. 746 Hanbrook L, 294 Handsfield HH, 144 Harezlak J. 114 Harper DM, 628 Harrington K, 20, 387, 503 Harwell JL 752 Hasbun J, 559 Hayashi M. 79 Haves R. 228 Heber W. 288 Hedley AJ, 360 Heffelfinger JD, 285 Hennessy M, 92 Henriksson L, 379 Hernandez M, 411 Hillier SL, 288, 581 Hillis SE, 144 Hiltunen-Back E, 746 Hinwood G, 216 Holden AEC, 520 Holmes KK, 133, 253, 259, 453, 559 Holt R, 406 Hook EW III, 20, 387, 486, 503, 608 Hoover DR, 366 Horta BL, 536 Howell MR, 1, 83

Hoover DR, 366 Horta BL, 536 Howell MR, 1, 83 Hunt K, 417 Hurwitz S, 119, 372 Hutchins K, 834 Hwang L-Y, 769

Irwin KL, 542, 703
Italian Seroconversion Study
Group, 665

J
Jackson M, 436
Jaffar S, 157
Jail STD Prevalence Monitoring
Group, 834
Janier M, 353, 698
Jappe U, 533
Joly JR, 324

Joyner JL, 196

Judson FN, 65, 196

Kahle B, 533 Kahn RH, 150, 285 Kallings I, 207 Kamb ML, 417 Karim SSA, 721 Kassler WJ, 703 Katz BP, 114 Kent C, 144, 294, 373, 411, 422 Kerndt PR, 277 Kilmarx PH, 668 Kimball A-M, 259 Kimoto K. 79 Kirnbauer R, 182 Kissinger P, 144 Klausner JD, 294, 373, 411, 422 Klein RS, 427 Knapp JS, 668 Knox J, 647 Koblin BA, 406 Kodagoda D, 277 Koh D, 311 Korenromp EL, 228 Korte JE, 520 Koskela P, 746 Koutsky LA, 725 Krekeler B, 100 Krohn MA, 246 Kumwenda NI, 366

Kunene B, 32

Labbé A-C, 157 Lafferty WE, 100 Lafia E, 324 Lagrange P, 698 Lally MA, 752 Lampe M, 253 Langley C, 769 Lassau F, 698 Lau C-Y, 497 Laumann EO, 689 Lavori PW, 678 Law M, 647 Lawrence AM, 277 Layde PM, 298 Lecomte A, 624 Legge D, 763 Legros D, 376 Lehrer RI, 514 Leigh BC, 476 Lemoine AL, 150 Lengeler C, 715 Lepkowski J, 13 Levin D, 678 Levine WC, 271, 769, 834 Leyden WA, 678 Liau A. 387 Liomba GN, 366 Lipsitch M, 399, 608 Litchfield B, 144 Little F, 239 Liu H, 335 Li X, 335 Li Y, 1 Lowndes CM, 324

Luk YK, 360

Lystad A, 222

Lupiwa T, 265, 775

MacNevin R, 752 Ma E, 335 Maher JE, 38 Makki HA, 73 Malotte CK, 92 Manalo R, 606 Manhart LE, 133, 725 Mann J, 344, 811 Manos MM, 182, 678 Maravi ME, 491 Markakis D, 366 Marmor M. 406 Márquez CM, 792 Martin DH, 486 Martin IE, 780 Mason D. 216 Massad S, 427 Massari V. 319 Mathews C, 239 Matson SC, 331 Matter HC, 715 Mayer K, 288, 406 Mayhugh B, 491 McGee ZA, 674 McIlhaney J, 811 McKee KT Jr, 1 Mehta SD, 83 Mekonnen Y, 175 Melzani G, 121 Mendonça AP, 157 Menzies IB, 73 Mercier MM, 92 Mertz KJ, 271, 834 Mgone CS, 265, 775 Mickey T, 372 Mihret W, 175 Miller HG, 588 Miller P, 647

Miller WC, 588 Milligan GN, 597 Millstein SG, 756 Milord F, 157 Minkoff H, 427 Mirza H, 606

Moench TR, 288, 655 Morel P. 698 Morency P, 157 Mori G, 121 Morineau G, 624 Moriuchi H, 308 Moriuchi M, 308 Morse S, 253

Modarress KJ, 576

Moses AE, 483 Moses S, 840 Moulton LH, 201 Muderspach L, 427 Mukenge-Tshibaka L, 324

Muliawan P, 50 Mullick S, 32 Muñoz A, 427 Murrill CS, 73

Mwai C, 106 Mwatha A, 406 Myer L, 239

Narvarte G, 510 Ndinya-Achola J, 106 Ndjomou J, 637 Ndlovu J, 568

Neal SW, 668 Newton ER, 520

Ng L-K, 780 Nicholson TL, 789 Nilsen Ø, 222 Noll WW, 628 Norén L, 379

Norman LR, 126 Nyamukapa CA, 568 Nyankiye E, 637

O'Brien ME, 144 Oh MK, 20, 144, 387, 503 Okuni T, 79 Olcén P, 25 Ondiege MY, 444 Opal S, 606 Orlander H, 253, 259 Osato K, 79

Paget WJ, 715 Palefsky J, 427 Pang M, 514 Passey ME, 265 Patton DL, 581 Payne WJ, 576 Peipert JF, 288 Pépin J, 157 Perdue ST, 520 Peterman TA, 38, 530 Peter W, 265 Petoumenos K, 647 Petros B, 175 Petzoldt D, 533 Pick N, 483 Pierzchalski JL, 331 Piessens E, 427 Pinkerton SD, 298 Piper JM, 520 Potterat JJ, 806 Powers T, 1 Prazuck T, 624 Pugatch D, 752

Qadadri B, 763 Ouan VM, 201 Quinn TC, 1, 83 Qureshi AK, 497

Rabe LK, 581 Ramjee G, 44, 721 Raymond M, 628 Reece A, 597 Reed BD, 50 Rees H, 32 Remien RH, 465 Retel O, 319 Reunala T, 746 Rezza G, 665 Rietmeijer CA, 65 Rinke De Wit TF, 175 Risser JMH, 391 Risser WL, 391 Ritzler E, 715 Robinson NJ, 228 Rodriguez V, 792 Rogers SM, 588 Rothenberg R, 463, 806 Rothman RE, 83

Røttingen J-A, 818 Russell DM, 265 Ryan C, 559

Samalvides F, 510 Sanchez C, 559 Sanchez J, 559 Sanders E. 175 Sanders SA, 552 Sawatzky P, 780 Schiffman M. 182 Scholl DT, 150 Scholle SH, 246 Schultz AJ, 668 Schuman P. 427 Schwebke JR, 59, 271 Scott DR, 182 Seas CR, 510 Sednaoui P, 376 Semmekrot BA, 710 Shah KV, 427 Shain RN, 520 Shane SM, 150 Shapiro S. 678 Sherman ME, 182 Shete PB, 655 Shields T, 182 Shlay JC, 491 Silins I, 207 Silveira MF, 536 Silverberg MJ, 427 Sionéan C, 20, 503 Sirivongrangson P, 668 Siwerth B-M, 379 Smith BS, 486 Smith C, 406 Smith K, 486 Sohn W, 13 Spinola SM, 114 Srugo I, 483 St. Lawrence JS, 798 Stall R, 643 Stamm WE, 189, 253 Stanberry LR, 597 Steegers EAP, 710 Steiner MJ, 168 Steketee RW, 38 Stephens J, 486 Stephens RS, 789 Stine C, 344, 811 Stoner BP, 453 Stürchler D, 715 Sturm AW, 721 Suchland RJ, 189 Suligoi B, 665 Sundby J, 828 Sun H, 242 Su X, 242 Sweeney YTC, 581 Swenson P. 253 Swiss Sentinel Surveillance Network of Gynecologists, 715 Switzer GE, 246 Sylvan SPE, 379

Tabrizi SN, 647

Taffa N, 828 Taha TE, 366 Tan Y, 212

Tao G. 703 Tatara K. 79 Tedeschi RM, 207 Temmerman M, 106 Tiveljung A, 379 Tomasi E, 536 Torian LV, 73 Totten PA, 559 Trees DL, 668 Trent M. 397 Tschann J, 756 Tsegaye A, 175 Tulloch SD, 271 Turner CF, 588 Turner KR, 422 Uche C. 126

Unemo M. 25

Uribasterra P. 112

Vaalasti A, 746 Van Bemmelen R. 65 van der Meijden WI, 710 Van Dyck E, 324 van Laere M, 710 Van Royen P, 426 Varghese B, 38 Varkevisser CM, 444 Verhoeven V, 426 Vessey J. 344 Vexiau-Robert D, 353 Victora CG, 536 Voeten HACM, 444 Voight RA, 834 Volpi A, 665 Volguez C, 559 Von Krogh G, 379 Wagar EA, 514

Walsh C, 542

Walsh CM, 703 Walton P. 216 Wang LY, 737 Wang Q, 242 Watts H, 427 Weel JF, 710 Weisfuse IB, 73 Weiss HL. 59 Weiss JB, 559 Whaley KJ, 655 Whittington WLH, 144, 189, 453 Wiesenfeld HC, 112, 246 Williams KM, 387 Williams SP, 92 Willis DE, 576 Wilson SR, 678 Wingood GM, 20, 387, 503 Wirawan DN, 50 Wolday D, 175

Wolfe R, 50

Wong EH, 422

Wong ML, 311

Ye S, 242 Yin Y, 242, 335 Youm Y, 689 Z Zamborsky T, 246 Zbinden R, 715 Zenilman JM, 83, 201, 588 Zerboni R, 665 Zhang L, 212 Zhuwau T, 568 Zimmermann T, 533 Zwahlen M, 715

Woodward C, 216

Yarber WL, 552

Yasin B. 514

Yeka W. 775

Wn Z 212

STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685) 1. Publication Title: SEXUALLY TRANSMITTED DISEASES Publication no.: 0148-5717 3. Filing date: 10-01-01. 4. Frequency of issue: Monthly 5. No. of issues published annually: 12; 6. Annual subscription price: \$216.00 Complete mailing address of known office of publication: Lippincott Williams & Wilkins, 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116. 8. Complete mailing address of the headquarters of general business offices of the publisher: 530 Walnut Street, Philadelphia, PA 19106. 9. Full names and complete mailing address of publisher, editor, and managing editor: Publisher: Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor: Julius Schachter, PhD, Room 416/Bldg. #30, San Francisco General Hospital, 1001 Potrero Ave., San Francisco, CA 94110: Managing Editor: Jeanne Moncada, Room 416/Bldg. #30, San Francisco General Hospital, 1001 Potrero Ave., San Francisco, CA 94110. 10. Owner: American Sexually Transmitted Diseases Association, c/o: Denver Public Health, 605 Bannock Street, Denver, CO 80204. 11. Known bondholders, mortgagees, and other security holders owning or holding 1% or more of total amount of bonds, mortgages, or other securities: None. 12. Purpose, function, and nonprofit status: Has not changed during preceding 12 months. 13. Publication Name: SEXUALLY TRANSMITTED DISEASES 14. Issue Date for circulation data: Volume 28, Issue 8. 15. Extent and nature of circulation: Average number of copies each issue during preceding 12 months: (a) Total No. copies (Net Press Run), 1,892. (b) Paid and/or requested circulation; (1) Paid/requested outside-county mail subscriptions stated on form 3541. (Include advertiser's proof and exchange copies), 819; (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A; (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, 449; (4) Other classes mailed through the USPS, N/A; (c) Total paid and/or requested circulation (sum of 15b (1), (2), (3), and (4), 1.253, (d) Free distribution by mail (samples, N/A; (3) Other classes mailed through the USPS, N/A; (b) Free distribution outside the mail (carriers or other means), 45. (f) Total free distribution (sum of 15d and 15e), 115. (g) Total distribution (Sum of 15c and 15f), 1.368. (h) Copies not distributed, 524. (i) Total (sum of 15g and h), 1,892. (j) Percent paid and/or requested circulation (15c divided by 15g times 100). 91.59%. No. copies of single issue published nearest to filing date: (a) Total no. copies (Net Press Run), 1,950. (b) Paid and/or requested circulation; (1) Paid/requested outside-county mail subscriptions stated on form 3541, (Include advertiser's proof and exchange copies), 820; (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A; (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, 433; (4) Other classes mailed through the USPS, N/A. (c) Total paid and/or requested circulation (sum of 15b. (1), (2), (3), and (4), 1,253. (d) Free distribution by mail (samples, complimentary, and other free), (1) Outside-county as stated on form 3541, 41; (2) In-county as stated on form 3541. N/A; (3) Other classes mailed through the USPS, N/A. (e) Free distribution outside the mail (carriers or other means), 17. (f) Total free distribution (sum of 15d and 15e), 58. (g) Total distribution (Sum of 15c and 15f), 1,311. (h) Copies not distributed, 639. (i) Total (sum of 15g and h), 1,950. (j) Percent paid and/or requested circulation (15c divided by 15g x 100), 95.58%. 16. This Statement of Ownership will be printed in volume 28, issue 12 of this publication. 17. I certify that the statements made by me above are correct and complete. Jeffrey Brown, Manager, Periodical Operations

INDEX OF SUBJECTS

A	Army recruits female chlamydia screening for hospitalization rates and
Abscess, tuboovarian, S pyogenes, 606	Army recruits, female, chlamydia screening for, hospitalization rates and
Adolescents	Arrestees. See also Incarcerated persons
Chinese, premarital sex among, 212	syphilis screening in, 150
chlamydial infection in	Azithromycin
pubic lice as predictor of, 331	vs. benzathine penicillin G, for syphilis, 486
screening for	directly observed treatment with, in homeless woman, 372 (letter)
in high schools, 373, 737	vs. doxycycline, for chlamydial infection, 497
in Sweden, 379	
condom use by	Besterial regimenia complete and 50
errors and problems in, 552	Bacterial vaginosis, cervicitis and, 59 Rohamas grack cossine anidemics in STD prevalence and 253, 259
perception of risk for STDs and, 756	Bahamas, crack cocaine epidemics in, STD prevalence and, 253, 259 Bali, sex workers in, STD/HIV prevention programs for, 50
female	Barrier contraceptives. See also Condoms
African American	in single vs. dual contraceptive approach, 168
marijuana use and STD infection in, 387	Behavioral interventions, success of, 520, 530 (editorial)
with older partners, sexual behavior of, 20	Benin, sex workers in, syndromic vs. laboratory diagnosis of cervicitis in
STD history and current risk behavior in, 503	324
with older partners	Benzathine penicillin G, vs. azithromycin, for syphilis, 486
recurrent chlamydial infection and, 133	Bias, social desirability
risk behaviors of, 20	reduction of, 568
gonorrhea in, screening for, in high schools, 373, 737	in surveys of male-to-male sexual activity, 643
incarcerated	Bisexuals
initial screening of, 834 pelvic inflammatory disease in, 391	female, syphilis transmission in, 119
knowledge of STDs of, 436	male
male, STD prevalence and determinants of, in Jamaica, 126	anorectal chlamydia/gonococcal infections in epidemiology of, 189
risk behaviors of, gonorrhea and chlamydia prevalence and, in Ethiopia,	gonorrhea/chlamydia screening for, at entertainment venues, 216
828	HIV infection in, racial disparities in, 73
sexual mixing, bridging and concurrency in, 13, 133	survey-based estimation of, 643
Africa	syphilis outbreak in, rapid response to, 277, 285 (editorial)
adolescent risk behaviors in, gonorrhea and chlamydia prevalence and,	urethritis in, in France, 319
828	Blacks. See African Americans
antenatal syphilis screening in, 32	Brazil, risk behaviors of urban women in, 536
genital herpes in, behavioral change and, 228	Bridging partners, adolescent, 13
HIV infection in, prevalence of and risk factors for, 366	BufferGel
HSV-2 seropositivity in, 175, 537	for chlamydial infection, efficacy and toxicity tests for, 655
pregnancy outcome in syphilis/HIV infection in, 157	microflora changes with, 288
sex workers in	С
cervicitis in, syndromic vs. laboratory diagnosis of, 324	Cameroon, antibody to HSV-2 in, 537
characteristics of clients of, 444	Canada
HIV-positive, STD incidence in, 721	ciprofloxacin-resistant N gonorrhoeae in, 780
truck drivers in, HIV prevalence among, 44	physician compliance with screening/treatment guidelines in, 840
use of free condoms in, 239	Cancer, cervical, laser therapy for, lymphangioma circumscriptum of vulv
African Americans, female	after, 533
adolescent	Centers for Disease Control and Prevention (CDC)
marijuana use and STD infection in, 387	1994 HIV guidelines of, conformation to, 417
with older partners, sexual behavior of, 20	STD Treatment Guidelines of, need for revision of, 674 (editorial)
STD history and current risk behavior in, 503	Cervical cancer, laser therapy for, lymphangioma circumscriptum of vulv
douching practices of, microbicide testing and, 406	after, 533
Age, of sexual partners	Cervical neoplasia, prevention of, condom use and, 725
adolescent sexual mixing patterns and, 13	Cervical warts, relapse of, in HIV infection, 121
black female adolescent risk behaviors and, 20	Cervicitis
recurrent chlamydial infection and, 133	bacterial vaginosis and, 59
Alcohol use/abuse. See also Substance use/abuse	Mycoplasma genitalium infection and, in French STD clinic attendee
Approach oblamydial infection in male hi/hamasayuala anidemialagu of	353
Anorectal chlamydial infection, in male bi/homosexuals, epidemiology of, 189	in sex workers, syndromic vs. laboratory diagnosis of, in Benin, 324
Antimicrobials	Cervicovaginal washings, from STD clinic attendees, HPV types in, 76.
for chlamydial infection, efficacy and toxicity tests for, 655	Chancroid, in Dominican Republic and Peru, 559
detergent-based vs. sulfated polymer-based, vaginal inflammation with,	China
597	drug-resistant <i>N gonorrhoeae</i> in, 242 premarital sex among university students in, 212
N gonorrhoeae resistance to	risk factors for STDs and casual sex in STD clinic attendees in, 360
in Canada, 780	STD stigmatization in, 355
in China, 242	Chlamydial infection
in Thailand, 668	adolescent risk behaviors and, in Ethiopia, 828
quality control for, in Myanmar, 624	in adolescents, pubic lice as predictor of, 331
rectal application of, 581	anorectal, in male bi/homosexuals, epidemiology of, 189
trials of, douching and, 406	azithromycin vs. doxycycline for, 497
vaginal, microflora changes with, 288	clinic resource allocation for, 703

with gonococcal infection, dual treatment vs. testing for, cost effectiveness of, 542 incidence and repeat infection rates for, in STD clinic attendees, 65 as marker for HIV incidence, in prevention trials, 298 microbicides for, efficacy and toxicity tests for, 655 persistent. PCR detection of, 196 recurrent, in adolescents with older partners, 144 in rural women, in Papua New Guinea, 775 screening for in emergency departments, cost effectiveness of, 83 on entry into correctional facilities, 834 in female Army recruits, hospitalization rates and, 1 in high schools, 373 cost effectiveness of, 737 home based, 294 in jailed women, 271 in male bi/homosexuals, at entertainment venues, 216 in STD clinic attendees, 65 in Sweden, 379 urine-based, in Sweden, 379 self-reported vs. NAAT-identified, risk behaviors and, 588 self- vs. practitioner-collected specimens for, 647 sensitivity of national laboratory reports for, in Switzerland, 715 in sex workers in Papua New Guinea, 265 syndromic vs. laboratory diagnosis of, in Benin, 324 specimen collection for PCR in, lubricant use and, 112 vaginal pH and, 514 Chlamydia trachomatis, self- vs. practitioner-collected specimens of, 647 Chlorhexidine digluconate, for chlamydial infection, efficacy and toxicity tests for, 655 Ciprofloxacin, N gonorrhoeae resistance to in Canada, 780 in China, 242 in Thailand, 668 Clinical trials microbicide, douching and, 406 prevention, STD incidence as marker for HIV incidence in, 298 Clinic attendees. See Primary care recipients; Sexually transmitted disease clinic attendees CO2 laser therapy, for cervical cancer, lymphangioma circumscriptum of vulva after, 533 Cocaine. See also Substance use/abuse lymphogranuloma venereum prevalence and, in Bahamas, 253, 259 STD prevalence and, in Bahamas, 253, 259 College students. See also Adolescents Chinese, premarital sex among, 212 condom use errors and problems in, 552 Concurrency, 133 among adolescents, 13 patterns of, 453, 463 (editorial) Condoms effectiveness of, 344, 350 (editorial) in single vs. dual contraceptive approach, 168 use of. See also Risk behaviors by adolescents errors and problems in, 552 perception of risk for STDs and, 756 alcohol use and, 476 among Chinese STD clinic attendees, 360 effectiveness of, 811 errors and problems in, among university students, 552 with free distribution, in South Africa, 239 in HIV risk reduction, 38 interventions to increase, 520, 530 (editorial) intimate partner violence and, 411 by Kenyan sex worker clients, 444 marijuana use by black female adolescents and, 387 in oral sex, 311 in prevention of HPV infection, 725 by sex workers in Papua New Guinea, 265

Condylomata acuminata in HIV infection, 121, 427 in immunodeficiency states, 121, 427 prevention of, condom use and, 725 relapse of, in HIV infection, 121 Contraception. See also Condoms IUD for, group A streptococcal infection and, 483 one- vs. two-method approach in, 168 Crack cocaine. See also Substance use/abuse STD prevalence and, in Bahamas, 253, 259 Data collection, social desirability bias in, 568, 643 Developing countries. See also specific countries adolescent risk behaviors in, gonorrhea and chlamydia prevalence and, 828 antenatal syphilis screening in, 32 antibody to HSV-2 in, 537 antimicrobial quality control in, 624 crack cocaine epidemics in, lymphogranuloma venereum prevalence and, 253, 259 data collection in, social desirability bias in, 568 genital herpes in, behavioral change and, 228 genital ulcer disease in, 559 HIV infection in, prevalence of and risk factors for, 366 HSV-2 seropositivity in, 175 pregnancy outcome in syphilis/HIV infection in, 157 primary care patients in, health-seeking and sexual behaviors of, 106 sex workers in cervicitis in, syndromic vs. laboratory diagnosis of, 324 characteristics of clients of, 444 HIV-positive, STD incidence in, 265, 721 treatment barriers for female STDs in, 201 truck drivers in, HIV prevalence among, 44 Domestic violence, risk behaviors and, 411 Dominican Republic, genital ulcer disease in, 559 interventions to reduce, 520, 530 (editorial) by women at high risk for HIV infection, 406 Doxycycline, vs. azithromycin, for chlamydial infection, 497 Drug abuse. See Substance use/abuse Drug resistance, of N gonorrhoeae in Canada, 780 in China, 242 in Kyrghyzstan, 376 in Thailand, 668 Editorials, 285, 350, 463, 472, 530, 674, 789 (editorial) Entertainment venues, screening for gonorrhea/chlamydia in male bi/homosexuals at, 216 Epidemiologic studies, genotyping in, 379 Epidemiology clustered STD seropositivity and, 207 social network effects and, 689 Ethiopia adolescent risk behaviors in, gonorrhea and chlamydia prevalence and, 828 HSV-2 seropositivity in, 175 External genital warts in HIV infection, 121, 427 in immunodeficiency states, 121, 427

F

prevention of, condom use and, 725

relapse of, in HIV infection, 121

Family planning programs, resource allocation for chlamydial infection in, 703

Fetal demise, syphilis/HIV infection and, 157

Finland, imported syphilis epidemics in, 746

France, Mycoplasma genitalium infection in, in STD clinic attendees, 353 Freebasing, STD prevalence and, in Bahamas, 253, 259

G

Gay men. See Male-to-male sexual behavior

Gene expression analysis, microarray, 789 (editorial)

Genital herpes

in Africa, behavioral change and, 228

cost projections for, 608

in Dominican Republic and Peru, 559 in HIV infection, prevalence and determinants of, in Italy, 665 prevalence of, 608

in Cameroon, 537

prevention of, condom use and, 725

serodiagnostic test for, in pregnant women and their partners, 399

seroprevalence of, in Dutch pregnant women, 710

in sub-Saharan Africa, behavioral changes and, 228

type-specific serologic testing for, 422

in vitro reactivation of HIV infection in, 308 Genital ulcer disease. See also specific etiologies

crack cocaine use and, in Bahamas, 253, 259

in Dominican Republic and Peru, 559

Genital warts

in HIV infection, 121, 427

in immunodeficiency states, 121, 427 prevention of, condom use and, 725

relapse of, in HIV infection, 121

Genotyping, in epidemiologic studies, 379

GenProbe PACE 2 tests, hybrid capture 2 CT/GC DNA tests and, using same urethral swab, 576

Gonococcal cervicitis, in sex workers, syndromic vs. laboratory diagnosis of, in Benin, 324

Gonorrhea

adolescent risk behaviors and, in Ethiopia, 828

asymptomatic chlamydial infection in, dual treatment vs. testing for, cost effectiveness of, 542

drug-resistant, in China, 242

epidemiologic analysis of, pulsed-field gel electrophoresis in, 25

in male bi/homosexuals, epidemiology of, 189

as marker for HIV incidence, in prevention trials, 298

pharyngeal, condom use and, 311

rising incidence of, in French males, 319

in rural women, in Papua New Guinea, 775

screening for

on entry into correctional facilities, 834

in high schools, 373

cost effectiveness of, 737

home based, 294

in jailed women, 271

in male bi/homosexuals, at entertainment venues, 216

self-reported vs. NAAT-identified, risk behaviors and, 588

self- vs. practitioner-collected specimens for, 647

in sex workers

in Papua New Guinea, 265

syndromic vs. laboratory diagnosis of, in Benin, 324

surveillance programs for, 806 (editorial)

Group A streptococcal infection, associated with IUD and oral sex, 483 Guinea-Bissau, pregnancy outcome in syphilis/HIV infection in, 157

Haemophilus ducreyi infection

in Dominican Republic and Peru, 559

pustule formation in, in men vs. women, 114

Healthcare utilization

by primary care patients, in Kenya, 106

after STD diagnosis, in women, 678

Hepatitis B, as marker for HIV incidence, in prevention trials, 298

Herpes simplex virus, type 2

seropositivity for

in Cameroon, 537

in Ethiopia, 175

type-specific serologic testing for, 422

Herpes simplex virus infection

in Dominican Republic and Peru, 559

in HIV infection, prevalence and determinants of, in Italy, 665

serodiagnostic test for, in pregnant women and their partners, 399

seroprevalence of, in Dutch pregnant women, 710

in sub-Saharan Africa, behavioral changes and, 228

type 2

prevalence and cost projections for, 608

prevalence of, in Cameroon, 537 in vitro reactivation of HIV infection in, 308

High schools, chlamydia/gonorrhea screening in, 373

cost-effectiveness of, 737

Hispanics, douching practices of, microbicide testing and, 406

Home-based screening, for chlamydia/gonorrhea, 294

Homeless patient, syphilis in, directly observed azithromycin treatment for, 372 (letter)

Homosexuals

female, syphilis transmission in, 119

male

anorectal chlamydia/gonococcal infections in, epidemiology of, 189

gonorrhea/chlamydia screening for, at entertainment venues, 216 HIV infection in, racial disparities in, 73

survey-based estimation of, 643

syphilis outbreak in, rapid response to, 277, 285 (editorial)

urethritis in, in France, 319

Human herpesvirus 8, seroprevalence of, in French STD clinic attendees, 698

Human immunodeficiency virus infection

crack cocaine use and, in Bahamas, 253, 259

epidemic, in Norway, 222

genital herpes in, prevalence and determinants of, in Italy, 665

genital warts and, 121, 427

incidence of, STD incidence as marker for, in prevention trials, 298

1994 CDC guidelines for, conformation to, 417

physician compliance with screening/treatment guidelines for, in Canada, 840

pregnancy outcome in, 157

prevalence of and risk factors for, in Malawi, 366

prevention programs for, in Balinese sex workers, 38

risk reduction for, 38

in sex workers, in Papua New Guinea, 265 in South African truck drivers, truck drivers in, 44

STD incidence in, in South African sex workers, 721

transmission of, within sexual partnership, 818

in vitro reactivation of, in HSV infection, 308

Human papillomavirus, types of, in cervicovaginal washings from STD clinic attendees, 763

Human papillomavirus infection

HIV infection and immunodeficiency and, 427

prevention of, condom use and, 725

tampon sampling for, 628

type 16, seropositivity for, sexual behavior and, 182

Hybrid capture 2 CT/GC DNA tests, and GenProbe PACE 2 tests, using same urethral swab, 576

Immunodeficiency. See also Human immunodeficiency virus infection genital warts and, 427

Incarcerated persons

female

adolescent, pelvic inflammatory disease in, 391

chlamydia/gonorrhea screening in, 271

initial screening of, 834

syphilis screening in, 150

Integrated information systems, in prediction of syphilis outbreaks, 6

Intimate partner violence, risk behaviors and, 411

Intrauterine device, group A streptococcal infection and, 483

Italy, HSV-2 infection in HIV infection in, prevalence and determinants of,

Jail population. See Incarcerated persons

Jamaica, STD prevalence and determinants in, in young males, 126

Japan, vaginal vs. nonvaginal sex workers in, STD risk reduction for, 79

Kenva

primary care patients in, health-seeking and sexual behaviors of, 106 sex workers in, characteristics of clients of, 444

Kyrghyzstan, N gonorrhoeae isolates from, in vitro susceptibility of, 376

Lactobacillus colonization, vaginal microbicide and, 288

Laser therapy, for cervical cancer, lymphangioma circumscriptum of vulva after 533

Latin America

genital ulcer disease in, 559

travelers to, sexual behavior of, 510

Latinas, douching practices of, microbicide testing and, 406

Lesbians, syphilis transmission in, 119

Less-developed countries. See Developing countries

Letters, 372, 426

Lice, pubic, as chlamydial infection predictor, in adolescents, 331

Lubricants, specimen collection for C trachomatis PCR and, 112

Lymphangioma circumscriptum of vulva, after laser therapy for cervical cancer, 533

Lymphogranuloma venereum

crack cocaine use and, in Bahamas, 253, 259

in Dominican Republic and Peru, 559

Mail-returned specimens, in home-based screening, 294

Malawi, HIV infection in, prevalence of and risk factors for, 366

Male-to-male sexual behavior

anorectal chlamydia/gonococcal infections in, epidemiology of, 189 gonorrhea/chlamydia screening for, at entertainment venues, 216

HIV infection in, racial disparities in, 73

survey-based estimation of, 643 syphilis outbreak in, rapid response to, in Los Angeles, 277, 285 (edi-

torial) urethritis in, in France, 319

Marijuana. See also Substance use/abuse

sexual risk behaviors and, in black female adolescents, 387

Medicaid-enrolled STD clinic attendees, underidentification of, 100

Metronidazole, for bacterial vaginosis-related cervicitis, 59

Microarray technology, 789 (editorial)

Microbicides

for chlamydial infection, efficacy and toxicity tests for, 655

detergent-based vs. sulfated polymer-based, vaginal inflammation with,

N gonorrhoeae resistance to

in Canada, 780

in China, 242

in Thailand, 668

quality control for, in Myanmar, 624

rectal application of, 581

trials of, douching and, 406 vaginal, microflora changes with, 288

Microflora, changes in, with vaginal microbicide use, 288

Military recruits, female, chlamydia screening for, hospitalization rates and, 1

Myanmar, antimicrobial quality control in, 624

Mycoplasma genitalium infection, in French STD clinic attendees, 353

Neisseria gonorrhoeae. See also Gonorrhea

drug-resistant

in Canada, 780

in China, 242

in Kyrghyzstan, 376

in Thailand, 668

self- vs. practitioner-collected specimens of, 647

tetracycline-resistant, novel Tet M determinant and, 792

in vitro susceptibility of isolates from Kyrghyzstan, 376

Neonatal herpes, prevention of, maternal serodiagnostic testing for, 399 Netherlands, HSV-1/2 seroprevalence in, among pregnant women, 710 Nongonococcal urethritis, rising incidence of, in French males, 319

for chlamydial infection, efficacy and toxicity tests for, 655

rectal application of, 581

Norway, HIV epidemic in, 222

Older partners, of female adolescents

recurrent chlamydial infection and, 133

risk behaviors and, 20

Oral sex condom use in, 311

female-to-female, syphilis transmission via, 119

group A streptococcal infection and, 483

Papua New Guinea

gonorrhea/STD prevalence in, in rural women, 775

HIV/STD prevalence in, in sex workers, 265

Partner concurrency, 133

among adolescents, 13

patterns of, 453, 463 (editorial)

Partner notification

in China, 355

client preferences for, 92

by New York City STD clinic attendees, 465, 472 (editorial)

Pelvic inflammatory disease

in incarcerated adolescents, 391

Mycoplasma genitalium infection and, in French STD clinic attendees,

353

S pyogenes tuboovarian abscess in, 606

treatment barriers for, in Vietnamese women, 201

Penicillin

vs. azithromycin, for syphilis, 486

N gonorrhoeae resistance to, in China, 242

Peru, genital ulcer disease in, 559

pH, vaginal, chlamydial infection and, 514

Pharyngeal gonorrhea, condom use and, 311 Phthirus pubis infection, as chlamydial infection predictor, in adolescents,

Physicians

compliance of with screening/treatment guidelines, in Canada, 840

primary care, attitudes of toward STDs, 246

Polymerase chain reaction

for C trachomatis, specimen collection for, lubricant use and, 112

in persistent chlamydial infection, 196

self- vs. practitioner-collected samples for, 647

Pregnancy

HSV infection in, serodiagnostic test for, 399

HSV seroprevalence in, in Netherlands, 710 outcome of, in syphilis/HIV infection, 157

risk prediction for, among STD clinic attendees, 491

Premarital sex, among Chinese university students, 212 Prematurity, syphilis/HIV infection and, 157

Prevention trials, STD incidence as marker for HIV incidence in, 298

Preventive strategies, behavioral change vs. disease reduction due to, 520, 530 (editorial)

Primary care physicians, attitudes of toward STDs, 246

Primary care recipients, health-seeking and sexual behaviors of, in Kenya, 106

Prisoners. See Incarcerated persons

Prostitutes. See Sex workers

Pubic lice, as chlamydial infection predictor, in adolescents, 331

Pulsed-field gel electrophoresis, in epidemiologic study of N gonorrhoeae,

Q

Quality control, microbicidal, in Myanmar, 624

Race, HIV infection rates in male bisexuals/homosexuals and, 73

Rectal application, of Nonoxynol-9, 581

Rectal chlamydial infection, in male bi/homosexuals, epidemiology of, 189

Sexual behavior

alcohol use and, 476

of Chinese STD clinic attendees, 360

clustered STD seropositivity and, 207

adolescent, 13, 20, 126, 133, 503, 828. See also Adolescents

Reproductive tract infections, treatment barriers for, in Vietnamese HPV 16 seropositivity and, 182 interventions for, behavioral change vs. disease reduction due to, 520, women, 201 Risk behaviors 530 (editorial) adolescent, 13, 20, 126, 133, 503, 828. See also Adolescents intimate partner violence and, 411 male-to-male. See Male-to-male sexual behavior alcohol use and, 476 of Chinese STD clinic attendees, 360 marijuana use and, 387 clustered STD seropositivity and, 207 partner age and, 13, 20 gonorrhea and chlamydia prevalence and, in Ethiopia, 828 of primary healthcare patients, 106 HPV 16 seropositivity and, 182 STD history and, in black adolescent females, 503 interventions for, behavioral change vs. disease reduction due to, 520, surveys of, social desirability bias in, 568 530 (editorial) of urban Brazilian women, 536 intimate partner violence and, 411 of visitors to Peru, 510 marijuana use and, 387 of young male Jamaicans, 126 of primary healthcare patients, 106 Sexually transmitted disease clinic attendees self-reported vs. NAAT-identified STDs and, 588 chlamydial infection in, incidence and repeat infection rates for, 65 STD history and, in black adolescent females, 503 HPV types in cervicovaginal washings from, 763 surveys of, social desirability bias in, 568 human herpesvirus 8 seroprevalence in, in France, 698 of urban Brazilian women, 536 Medicaid-enrolled, underidentification of, 100 of visitors to Peru, 510 Mycoplasma genitalium infection in, in France, 353 of young male Jamaicans, 126 partner notification by, 465, 472 (editorial) Risk-reduction interventions, behavioral change vs. disease reduction due pregnancy risk prediction for, 491 to, 520, 530 (editorial) risk factors for STDs and casual sex for, in China, 360 Russia, substance use/abuse by sex workers in, 798 Sexually transmitted disease programs, in developing countries, drug quality control for, 624 Sexually transmitted diseases. See also specific diseases Screening adolescent knowledge of, 435 for chlamydial infection complications of, healthcare utilization for, 678 in emergency departments, cost effectiveness of, 83 in HIV-positive sex workers, in South Africa, 721 in female Army recruits, hospitalization rates and, 1 as marker for HIV incidence, in prevention trials, 298 in high schools, 373 newly diagnosed, healthcare utilization after, by women, 678 cost effectiveness of, 737 outbreaks of, prediction of, integrated information systems in, 6 home based, 294 prevalence and determinants of, in young Jamaican males, 126 in jailed women, 271 prevention programs for, in Balinese sex workers, 38 in male bi/homosexuals, at entertainment venues, 216 risk factors for, in Chinese patients in Hong Kong, 360 in STD clinic attendees, 65 screening for. See Screening in Sweden, 379 seropositivity for, clustering of, 207 urine-based, in Sweden, 379 in sex workers, in Papua New Guinea, 265 on entry into correctional facilities, 834 transmission of, social network effects on, 689 for gonorrhea treatment barriers for, in Vietnamese women, 201 in high schools, 373 Sexual mixing, among adolescents, 13 cost effectiveness of, 737 Sex workers home based, 294 in Benin, cervicitis in, syndromic vs. laboratory diagnosis of, 324 in jailed women, 271 condoms for oral sex for, 311 in male bi/homosexuals, at entertainment venues, 216 HIV-positive, STD incidence in physician compliance with guidelines for, in Canada, 840 in Papua New Guinea, 265 during short-term treatment for substance abuse, 752 in South Africa, 721 for syphilis in Kenya, characteristics of clients of, 444 antenatal, in South Africa, 32 STD/HIV prevention programs for, in Bali, 50 in arrestees, 150 substance use/abuse by, in Russia, 798 Self-collected vaginal swabs, 426 (letter) Seroprevalence vaginal vs. nonvaginal, STD risk reduction for, in Japan, 79 of HSV-2, in Africa, 175, 537 Small-for gestational infants, intrauterine syphilis/HIV infection and, 157 Social desirability bias of human herpesvirus 8, in French STD clinic attendees, 698 reduction of, 568 of STDs, clustering of, 207 in surveys of male-to-male sexual activity, 643 Sex acts, choice of, for HIV risk reduction, 38 Social network effects, on STD transmission, 689 Sex education Sodium dodecyl sulfate, for chlamydial infection, efficacy and toxicity condom use instruction in, 552 tests for, 655 effectiveness of, 436 Soldiers, female, chlamydia screening for, hospitalization rates and, 1 Sex partners South Africa choice of, for HIV risk reduction, 38 antenatal syphilis screening in, 32 concurrency of, 133 among adolescents, 13 STD incidence in HIV-positive sex workers in, 721 patterns of, 453, 463 (editorial) truck drivers in, HIV prevalence among, 44 HIV transmission between, 818 use of free condoms in, 239 South America recurrent chlamydial infection and, 133 genital ulcer disease in, 559 risk behaviors and, 13, 20

truck drivers in, HIV prevalence among, 44
use of free condoms in, 239
South America
genital ulcer disease in, 559
travelers to, sexual behavior of, 510
Specimen collection
for C trachomatis polymerase chain reaction, lubricant use and, 112
for hybrid capture 2 CT/GC DNA tests and GenProbe PACE 2 test,
single urethral swab for, 576
self-performed, vs. practitioner-performed, for PCR, 647

- from tampons, for HPV infection, 628
- Specimen return, via U.S. mail, in home-based screening, 294
- Spontaneous abortion, syphilis/HIV infection and, 157
- Spousal abuse, risk behaviors and, 411
- Stigmatization, of male STD patients, in China, 355
- Stillbirth, syphilis/HIV infection and, 157
- Streptococcal infection, associated with IUD and oral sex, 483
- Streptococcus pyogenes tuboovarian abscess, 606
- Students. See also Adolescents
- high school, on-site chlamydia/gonorrhea screening for, 373
- cost effectiveness of, 737
- university
 - condom use errors and problems in, 552
 - premarital sex among, in China, 212
- Substance use/abuse
 - condom use and, 476
 - lymphogranuloma venereum prevalence and, in Bahamas, 253, 259
 - by Russian sex workers, 798
 - sexual risk behaviors and, in black female adolescents, 387
 - short-term treatment for, STD screening in, 752
 - STD prevalence and, in Bahamas, 253, 259
- Surveillance programs
 - for gonorrhea, 806 (editorial)
 - for syphilis, prevalence monitoring in, 769
- Surveys, social desirability bias in
- in estimation of male-to-male sexual activity, 568
- reduction of, 568
- Swabs
 - single urethral, hybrid capture 2 CT/GC DNA tests and GenProbe PACE 2 tests from, 576
 - vaginal, self-collected, 426 (letter)
 - vs. practitioner-collected, for PCR, 647
 - vs. tampon sampling, for HPV infection, 628
- Sweden, urine screening for C trachomatis in, 379
- Switzerland, chlamydial infection in, sensitivity of national laboratory reports for, 715
- Syphilis
 - antenatal screening for, in South Africa, 32
 - azithromycin vs. benzathine penicillin G for, 486
 - in Dominican Republic and Peru, 559
 - female-to-female transmission of, 119
 - in homeless woman, directly observed azithromycin treatment for, 372 (letter)
 - imported epidemics of, in Finland, 746
 - as marker for HIV incidence, in prevention trials, 298

 - prediction of, integrated information systems in, 6
 - rapid response to, in Los Angeles, 277, 285 (editorial)
 - pregnancy outcome in, 157
 - in rural women, in Papua New Guinea, 775
 - screening for
 - in arrestees, 150

- on entry into correctional facilities, 834 in sex workers, in Papua New Guinea, 265
- surveillance programs for, prevalence monitoring in, 769
- Tampon sampling, for HPV infection, 628
- Tet M determinant, in N gonorrhoeae tetracycline resistance, 792
- Tetracycline, N gonorrhoeae resistance to
 - in China, 242
- novel Tet M determinant in, 792 Thailand, ciprofloxacin-resistant N gonorrhoeae in, 668
- Third-world countries. See Developing countries
- Toxic shock syndrome, associated with IUD and oral sex, 483
- Travelers, to Peru, sexual behavior of, 510
- Treatment delay, in China, 355
- Trichomoniasis
 - in rural women, in Papua New Guinea, 775
 - self- vs. practitioner-collected specimens for, 647
 - in sex workers, in Papua New Guinea, 265
- Tuboovarian abscess, S pyogenes, 606

- University students. See also Adolescents
 - Chinese, premarital sex among, 212
 - condom use errors and problems in, 552
- Urethral swabs, single, hybrid capture 2 CT/GC DNA tests and GenProbe PACE 2 tests from, 576
- Urethritis, rising incidence of, in French males, 319
- Urine-based screening, in female jail population, 271
- Uruguay, N gonorrhoeae tetracycline resistance in, novel Tet M determinant in, 792

- Vaginal inflammation, with detergent-based vs. sulfated polymer-based microbicides, 597
- Vaginal microbicide, microflora changes with, 288 Vaginal pH, chlamydial infection and, 514
- Vaginal swabs, self-collected, 426 (letter)
- vs. practitioner-collected, for PCR, 647 vs. tampon sampling, for HPV infection, 628
- Viet Nam, treatment barriers for female STDs in, 201
- Violence, intimate partner, risk behaviors and, 411
- Vulva, lymphangioma circumscriptum of, after laser therapy for cervical
 - cancer, 533

- - cervical, relapse of, in HIV infection, 121 genital
- in HIV infection, 121
 - in immunodeficiency states, 121, 427
 - prevention of, condom use and, 725
 - relapse of, in HIV infection, 121